

TARALAY IMPRESSION

gerflor.fr



Gerflor[®]
theflooringroup



Walnut Brown



Herringbone Chatain / Habana Trinidad

TARALAY IMPRESSION



TECHNICAL & DESIGN

SOLUTION



EXTREME STAIN RESISTANCE, EASY MAINTENANCE:

PROTECSOL® 2 surface treatment
(patented technology by Gerflor)



HIGH TRAFFIC RESISTANCE, LONG-LASTING APPEARANCE

with a 0.9 mm wearlayer on demand
(minimum order quantity of 800 sq.m)



THE BEST ACOUSTIC / INDENTATION PERFORMANCE ON THE MARKET

COMPACT: 0.03 mm / 8 dB
COMFORT: 0.08 mm / 19 dB



ULTRA-REALISTIC DESIGNS:

New embosses and new plank dimensions
for wood designs



MATT EFFECT



ONE COLLECTION DEDICATED TO ALL MARKETS

INDEX

■ PHOTO BOOK.....	P.04
■ PROTECSOL® 2 BENEFITS	P.24
■ OUR PRODUCT OFFER	P.26
■ DURABILITY.....	P.28
■ TECHNICAL DATA.....	P.30
• TECHNICAL DATA SHEET	
• PRODUCT DESCRIPTION	
• LIST OF NCS & LRV CODES	
■ COMPLEMENTARY RANGES.....	P.34
• WALL SOLUTIONS	
• STAIR SOLUTIONS	
• ACCESSIBILITY	
• SKIRTINGS	
• ENTRANCE MATS	
■ ECO-RESPONSIBLE SOLUTION	P.36
■ SERVICES.....	P.38

The images of floorcoverings in this catalogue have been reproduced as faithfully as printing technology permits.

**ALL COLOURS
AVAILABLE AS
COMFORT/ COMPACT**

Sheet with foam
backing (COMFORT)



19 dB - 2 m

Sheet without foam
backing (COMPACT)



8 dB - 2 m

COMPACT ACOUSTIC



15 dB - 2 m


STOCK

- 0543 Cemento
Brescia
- 0524 Cemento Capri
- 0523 Cemento Genova
- 0525 Cemento
Modena
- 0723 Charme Pecan
- 0522 Habana Trinidad
- 0538 Habana Vinales
- 0680 Infinity Greige
- 0753 Kubes Grey
- 0769 Mohair White
- 0745 Nest Metal
- 0519 Noma Beige
- 0373 Noma Ice
- 0773 Portobello
- 0763 Rice Greige

OTHER REFERENCES
available on demand
minimum order
quantity 800 sqm




Herringbone Chatain / Habana Trinidad



16.6 cm

0722 - Herringbone Blond



16.6 cm

0724 - Herringbone Chatain



16.6 cm

0538 - Habana Vinales*



16.6 cm

0522 - Habana Trinidad*

*Reference available on stock in Compact Acoustic 15 dB -
Other references available on demand minimum order quantity 800 sqm.




0721 - Charme Natural



Charme Natural



Moon Island




0723 - Charme Pecan*



0760 - Moon Island





Loft Light Brown




0671 - Loft Light Brown



Portobello



0734 - Loft Chestnut



0773 - Portobello*

*Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.




0371 - Noma Rustic




0373 - Noma Ice*



0519 - Noma Beige*



0528 - Walnut Cream



1314 - Walnut Brown

*Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.



Infinity Aube



No strip
Continuous
design

0680 - Infinity Greige*



No strip
Continuous
design

0720 - Infinity Aube




No strip
Continuous
design

0719 - Infinity Lichen




Renzo Taupe



No strip
Continuous
design

0068 - Renzo Pecan




No strip
Continuous
design

0025 - Renzo Taupe




0727 - Sycamore Vanilla



No strip
Continuous
design




0726 - Sycamore Dark



No strip
Continuous
design



0725 - Sycamore Light Brown



No strip
Continuous
design



Sycamore Light Brown



Cemento Brescia



0523 - Cemento Genova*



0543 - Cemento Brescia*



0524 - Cemento Capri*




0525 - Cemento Modena*


*Reference available on stock in Compact Acoustic 15 dB -
Other references available on demand minimum order quantity 800 sqm.



Mohair White



0769 - Mohair White*



0767 - Mohair Natural



0766 - Mohair Dark



Gentlemen Grey



0770 - Gentlemen Clear



0771 - Gentlemen Grey



0772 - Gentlemen Coffee


*Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.



Corner Copper




0774 - Trame Clear



0777 - Trame Rose



0730 - Corner Light Beige




0741 - Corner Tomette




0739 - Corner Anis



0740 - Corner Turquoise



0776 - Trame Beige



0775 - Trame Blue



0728 - Corner Offwhite



0729 - Corner Metal



0733 - Corner Copper



0732 - Corner Dark Blue



Kubes Burgundy




0755 - Kubes White




0752 - Kubes Gold




0756 - Kubes Beige




0753 - Kubes Grey*




0751 - Kubes Taupe




0747 - Kubes Olive




0750 - Kubes Sun



0749 - Kubes Sky




0754 - Kubes Blue



0748 - Kubes Burgundy



Rice Light Green



0763 - Rice Greige*



0736 - Rice Champagne



0738 - Rice Copper




0737 - Rice Souris



0759 - Rice Mustard



0762 - Rice Brown



0757 - Rice Coquelicot



0735 - Rice Light Green




0758 - Rice Sea


*Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.



0745 - Nest Metal*




0746 - Nest Black



0765 - Nest Taupe



0764 - Stars Orange



0743 - Stars Baltique




0744 - Stars Anthracite


*Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.




Leather Marine




0848 - Uni Matt White



0832 - Uni Matt Grey



0831 - Uni Matt Anthracite



0833 - Uni Matt Beige



0834 - Uni Matt Brown



0836 - Uni Matt Tomette




0849 - Uni Matt Sun



0835 - Uni Matt Orange




0840 - Uni Matt Anis



0842 - Uni Matt Olive




0839 - Uni Matt Turquoise




0837 - Uni Matt Blue



0838 - Uni Matt Dark Blue



0845 - Leather Greige



0843 - Leather Grey



0844 - Leather Marine



Uni Matt Anis

PROTECSOL® 2 BENEFITS

PROTECSOL® 2 technology combines all the advantages of Protecsol®, tested and approved over 20 years ago: ease of maintenance, no need for wax and polish for life, water and detergent savings, plus **two additional benefits:**



1 STAIN SHIELD, blocks even the toughest stains



The **PROTECSOL® 2** water-repellent effect prevents staining products from penetrating the materials (alcohol-based Eosin and Betadine, hydro-alcoholic gels, etc.), remaining on the surface.

All other product on the market let staining product penetrate the floor covering.



STAINING TESTS



RESULTS AFTER CLEANING

Using a neutral detergent or an eraser for marker	TARALAY IMPRESSION	Printed flooring / transparent wearlayer	Homogeneous flooring	Coated flooring	Rubber flooring
After 10 min →					
After 1h →					

Complete stain resistance table available on request



EASIER AND FASTER CLEANING


- High resistance to chemicals
- Less detergent and water
- Reduced cleaning time



MATT EFFECT FOR ENHANCED DESIGN

- Ultra-realistic design


2 ULTRA MATT EFFECT



OUR PRODUCT OFFER

A SOLUTION FOR EACH NEED

WHAT IS YOUR NEED IN MATTER OF ACOUSTIC OR INDENTATION?



FOR ENHANCED DURABILITY

THE SOLUTION:
TARALAY IMPRESSION
COMPACT & COMFORT "PLUS"

Wearlayer:
0.9 mm (see page 32)

Product available on demand
(Minimum order quantity: 800 sq.m)

***REFERENCES
TARALAY IMPRESSION
COMPACT ACOUSTIC
AVAILABLE ON STOCK**

- | | |
|----------------------|-------------------|
| 0543 Cemento Brescia | 0753 Kubes Grey |
| 0524 Cemento Capri | 0769 Mohair White |
| 0523 Cemento Genova | 0745 Nest Metal |
| 0525 Cemento Modena | 0519 Noma Beige |
| 0723 Charme Pecan | 0373 Noma Ice |
| 0522 Habana Trinidad | 0773 Portobello |
| 0538 Habana Vinales | 0763 Rice Greige |
| 0680 Infinity Greige | |

DURABILITY

NEW **TARALAY IMPRESSION** AVAILABLE WITH 2 THICKNESSES OF WEARLAYER:

1 WEARLAYER: 0.65 mm / 0.70 mm

All references available in Comfort (0.65 mm) and in Compact (0.70 mm)

- Durability of the design
- Available in stock

2 NEW WEARLAYER: 0.9 mm

(see Technical Data Sheet and product description on pages 30, 31 & 32)

- Improved durability and higher traffic resistance
- Available on demand for a minimum order quantity of 800 sq.m



IMPROVED EASE OF ROLLING




UNRIVALLED EASY ROLLING

Rolling heavy loads (stretchers, nursing care beds) can cause musculoskeletal disorders for caregivers in hospitals.

GERFLOR has developed floorcoverings which contribute to reduce the required effort by 15% when compared with competing floorings.



PUSHING FORCE REDUCED BY 15% IN COMPARISON WITH COMPETITORS*



*Tests made by the company Tente®.

TECHNICAL DATA SHEET

	TARALAY IMPRESSION Compact	TARALAY IMPRESSION Compact Plus	TARALAY IMPRESSION Comfort	TARALAY IMPRESSION Comfort Plus	TARALAY IMPRESSION Compact Acoustic
--	----------------------------	---------------------------------	----------------------------	---------------------------------	-------------------------------------

DESCRIPTION

Property	Standard	Unit	TARALAY IMPRESSION Compact	TARALAY IMPRESSION Compact Plus	TARALAY IMPRESSION Comfort	TARALAY IMPRESSION Comfort Plus	TARALAY IMPRESSION Compact Acoustic
Total thickness	EN ISO 24346	mm	2.00	2,25	3.35	3,55	2.70
	ASTM F386-02	inch	0.08	0.09	0.13	0.14	0.11
Wearlayer thickness	EN ISO 24340	mm	0.70	0.90	0.65	0.90	0.70
	ASTM F410-02	inch	0.028	0.035	0.026	0.035	0.03
Weight	EN ISO 23997	g/sq.m	2635	2975	2825	3265	2790
	-	lbs/sq.ft	-	-	-	-	0.58
Width of sheet	EN ISO 24341	cm	200	200	200	200	200
	-	feet - inch	6'6"	6'6"	6'6"	6'6"	6'6"
Length of sheet	EN ISO 24341	lm	25	20	25	20	25
	-	feet - inch	82'	65.6'	82'	65.6'	82'

CLASSIFICATION

Property	Standard	Unit	TARALAY IMPRESSION Compact	TARALAY IMPRESSION Compact Plus	TARALAY IMPRESSION Comfort	TARALAY IMPRESSION Comfort Plus	TARALAY IMPRESSION Compact Acoustic
Norm / Product specification	-	-	EN ISO 10582	EN ISO 10582	EN 651	EN 651	EN 651
European classification	EN ISO 10874	class	33-43	34-43	34-42	34-42	34-42
Fire rating	EN 13501-1	class	B _{fl} -s1	C _{fl} -s1	B _{fl} -s1	C _{fl} -s1	B _{fl} -s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2	< 2	< 2
Slip resistance wet : ramp test with oil	DIN 51 130	class	R10	R10	R10	R10	R10

PERFORMANCE

Property	Standard	Unit	TARALAY IMPRESSION Compact	TARALAY IMPRESSION Compact Plus	TARALAY IMPRESSION Comfort	TARALAY IMPRESSION Comfort Plus	TARALAY IMPRESSION Compact Acoustic
Wear resistance	EN 660.2	mm ³	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0
Wear group	NF 189	group	T	T	T	T	T
Type binder content	ISO 10582	Type	I	I	-	-	-
Dimensional stability	EN ISO 23999	%	≤ 0.40	≤ 0.40	≤ 0.40	≤ 0.40	≤ 0.40
Residual indentation (requirement)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10	≤ 0.20	≤ 0.20	≤ 0.20
Residual indentation (average value measured)	-	mm	= 0,03	= 0,03	= 0,08	= 0,08	= 0,05
Impact sound insulation	EN ISO 717-2	dB	8	8	19	19	15
Castor chair test (type W)	ISO 4918	-	OK	OK	OK	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.K)	0.25	0.25	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2
Chemical products resistance ⁽¹⁾	EN ISO 26987	-	OK	OK	OK	OK	OK
Anti-bacterial activity (E. coli - S.aureus - MRSA) ⁽²⁾	ISO 22196	-	> 99 % Inhibits growth	> 99 % Inhibits growth	> 99 % Inhibits growth	> 99 % Inhibits growth	> 99 % Inhibits growth
Anti-viral activity (human coronavirus) after 2h ⁽²⁾	ISO 21702	-	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity

ENVIRONMENT / INDOOR AIR QUALITY

Property	Standard	Unit	TARALAY IMPRESSION Compact	TARALAY IMPRESSION Compact Plus	TARALAY IMPRESSION Comfort	TARALAY IMPRESSION Comfort Plus	TARALAY IMPRESSION Compact Acoustic
TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10	< 10	< 10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore®	Floorscore®	Floorscore® in progress

CE MARKING

CE	EN 14041	-					

(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.
 (2) The implementation of an effective cleaning regime is the most important defence against infection.

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.

! Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/03/2022 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.



TARALAY IMPRESSION COMFORT / COMFORT PLUS

TARALAY IMPRESSION COMFORT is an acoustic multi-layered vinyl floorcovering, available in 2m wide sheet, with a group T wear rating. The product comprises a Very High Density (VHD) foam backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.65 mm thick). It offers **19 dB sound insulation and an indentation resistance of ca. 0.08 mm.**

TARALAY IMPRESSION COMFORT PLUS is an acoustic multi-layered vinyl floorcovering, available in 2m wide sheet, with a group T wear rating. The product comprises a Very High Density (VHD) foam backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.90 mm thick). It offers **19 dB sound insulation and an indentation resistance of ca. 0.08 mm.**

The flooring is equipped with **Protectsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product.

It is **free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB** (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant.

Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 microgram / m³) and this product is classified A+ (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Comfort Plus has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

TARALAY IMPRESSION COMPACT / COMPACT PLUS

TARALAY IMPRESSION COMPACT is a multi-layered vinyl floorcovering, available in 2m wide sheet, with a group T wear rating.

The product comprises a compacted backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.70 mm thick). It offers **8 dB sound insulation and an indentation resistance of ca. 0.03 mm.**

TARALAY IMPRESSION COMPACT PLUS is a multi-layered vinyl floorcovering, available in 2m wide sheet, with a group T wear rating.

The product comprises a compacted backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.90 mm thick). It offers **8 dB sound insulation and an indentation resistance of ca. 0.03 mm.**

The flooring is equipped with **Protectsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product.

It is **free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB** (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant.

Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 microgram / m³) and this product is classified A+ (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

TARALAY IMPRESSION COMPACT ACOUSTIC

TARALAY IMPRESSION COMPACT ACOUSTIC is a multi-layered vinyl floorcovering, available in 2m wide sheet, with a group T wear rating.

The product comprises a comfort backing reinforced with a glass fibre and a printed design that is protected by a transparent wear layer (0.70 mm thick). It offers **15 dB sound insulation and an indentation resistance of ca. 0.05 mm.**

The flooring is equipped with **Protectsol® 2**, patented surface treatment obtained by UV laser cross-linking offering the best chemical resistance to the main products used in healthcare environment as betadine, eosin, hydro alcoholic solutions, making the maintenance easy and the floor long lasting. This treatment avoids applying any acrylic emulsion throughout the lifetime of the product.

It is **free of formaldehyde, heavy metals and CMR 1 & 2 or vPvB** (very persistent and very bio accumulative) or PBT (persistent, bio-accumulative and toxic) and is 100% REACH compliant.

Its VOC emissions after 28 days (ISO 16000-6) are below detection levels (<10 microgram / m³) and this product is classified A+ (the best class) and Floorscore® & M1 certified for indoor air quality. Taralay Impression Compact has antibacterial efficacy (E.coli / S.aureus / MRSA): >99% after 24 hours according to ISO22196.

DESIGN	COLOUR	CODE	NCS	LRV
CEMENTO	CAPRI	0524	5010-Y30R	21,8
CEMENTO	MODENA	0525	7005-Y50R	14,0
CEMENTO	BRESCIA	0543	4502-Y	32,5
CEMENTO	GENOVA	0523	3005-Y50R	43,1
CHARME	NATURAL	0721	4005-Y20R	33,2
CHARME	PECAN	0723	5502-R	24,3
CORNER	DARK BLUE	0732	5030-R80B	13,2
CORNER	COPPER	0733	3020-Y40R	36,1
CORNER	OFFWHITE	0728	1502-Y	66,2
CORNER	METAL	0729	4500-N	59,9
CORNER	LIGHT BEIGE	0730	2005-Y20R	58,8
CORNER	ANIS	0739	2050-G50Y	47,0
CORNER	TOMETTE	0741	4030-Y90R	17,6
CORNER	TURQUOISE	0740	3030-B30G	30,4
GENTLEMEN	CLEAR	0770	3002-R	46,2
GENTLEMEN	GREY	0771	4502-B	34,5
GENTLEMEN	COFFEE	0772	5502-R	25,4
HABANA	TRINIDAD	0522	5010-Y30R	25,6
HABANA	VINALES	0523	3010-Y30R	40,7
HERRINGBONE	BLOND	0722	3010-Y30R	34,9
HERRINGBONE	CHATAIN	0724	4010-Y30R	26,7
INFINITY	AUBE	0720	3010-Y30R	47,9
INFINITY	GREIGE	0680	4005-Y20R	33,1
INFINITY	LICHEN	0719	5005-Y20R	26,4
KUBES	OLIVE	0747	5010-G10Y	22,7
KUBES	BURGUNDY	0743	5030-R10B	12,8
KUBES	SKY	0749	3020-B10G	39,7
KUBES	SUN	0750	2050-Y10R	48,9
KUBES	TAUPE	0751	5502-Y	24,6
KUBES	BEIGE	0756	3010-Y30R	44,4
KUBES	GOLD	0752	3010-Y30R	40,5
KUBES	GREY	0753	4502-B	27,7
KUBES	BLUE	0754	3040-R90B	24,9
KUBES	WHITE	0755	1502-Y	64,0
LEATHER	GREY	0843	6502-Y	15,2
LEATHER	MARINE	0844	6020-B	10,6
LEATHER	GREIGE	0845	3005-Y20R	44,0
LOFT	CHESTNUT	0734	5010-Y30R	25,9
LOFT	LIGHT BROWN	0671	5010-Y30R	26,4
MOHAIR	DARK	0766	7000-N	13,4
MOHAIR	NATURAL	0767	5005-Y20R	26,3
MOHAIR	WHITE	0769	2502-Y	48,2
MOON ISLAND	-	0760	4010-Y30R	29,8

DESIGN	COLOUR	CODE	NCS	LRV
NEST	METAL	0745	5500-N	29,2
NEST	TAUPE	0765	6005-Y50R	18,6
NEST	BLACK	0746	6500-N	16,6
NOMA	RUSTIC	0371	4010-Y50R	23,2
NOMA	BEIGE	0519	5005-Y20R	28,5
NOMA	ICE	0373	2002-Y50R	52,0
PORTOBELLO	-	0773	5005-Y20R	25,3
RENZO	PECAN	0068	5005-Y20R	19,4
RENZO	TAUPE	0025	6500-N	16,0
RICE	LIGHT GREEN	0735	3020-G30Y	42,0
RICE	COQUELICOT	0757	2570-Y90R	13,8
RICE	BROWN	0762	6010-Y40R	20,0
RICE	CHAMPAGNE	0736	4010-Y30R	37,5
RICE	SOURIS	0737	5000-N	30,1
RICE	GREIGE	0763	3005-Y20R	48,5
RICE	SEA	0758	2040-B	40,7
RICE	MUSTARD	0759	2070-Y20R	36,6
RICE	COPPER	0738	4030-Y40R	27,6
STARS	ORANGE	0760	1080-Y30R	38,2
STARS	BALTIQUE	0743	4030-B10G	25,9
STARS	ANTHRACITE	0744	7000-N	12,8
SYCAMORE	LIGHT BROWN	0725	4010-Y30R	25,6
SYCAMORE	DARK	0726	7502-Y	10,5
SYCAMORE	VANILLA	0727	3020-Y20R	31,1
TRAME	CLEAR	0774	3005-Y40R	47,2
TRAME	BLUE	0775	3010-B10G	42,8
TRAME	BEIGE	0776	3005-Y50R	42,7
TRAME	ROSE	0777	4005-Y80R	38,1
UNI MATT	WHITE	0848	1505-Y20R	64,3
UNI MATT	SUN	0849	2040-Y	55,3
UNI MATT	ANIS	0840	2050-G60Y	45,9
UNI MATT	GREY	0832	6502-Y	15,2
UNI MATT	BEIGE	0833	3010-Y30R	45,2
UNI MATT	TURQUOISE	0839	3030-B40G	31,9
UNI MATT	ORANGE	0835	2060-Y40R	30,1
UNI MATT	BROWN	0834	5010-Y50R	27,5
UNI MATT	BLUE	0837	4030-B	25,0
UNI MATT	OLIVE	0842	5020-G50Y	20,3
UNI MATT	ANTHRACITE	0831	7000-N	14,2
UNI MATT	TOMETTE	0836	5040-Y70R	12,4
UNI MATT	DARK BLUE	0838	6020-R80B	11,1
WALNUT	BROWN	1314	6020-Y40R	15,8
WALNUT	CREAM	0528	2005-Y40R	53,6

COMPLEMENTARY RANGES

100% COORDINATION FLOORS / WALLS / FINISHES

100% SAFETY

LINEA TOUCH handrail

100% PROTECTION

Mural Ultra combined with LINEA punch bumper

100% WATERPROOF

Perfect hot-welded joint between floor and wall

100% HYGIENIC


- No area where particles or bacteria can stagnate
- Easy to clean



Patent pending system.




For further information, see the SPM and «Commercial flooring solutions» catalogues.




STAIRCASE SOLUTIONS

- Stair nosing
- 100% LANDING/STAIR HARMONY




PVC



ALU

- Complete step
- TARASTEPE
- 17 dB



ACCESSIBILITY SOLUTIONS


- Warning strips
- Orientation strips



For further information, see the «A global solution for accessibility» brochure.

ROMUS ENTRANCE MATS

- Reduce dust
- Prevent premature soiling & wear of floor coverings



For further information, see the «Commercial flooring solutions» catalogue.

ECO-RESPONSIBLE SOLUTION

TARALAY IMPRESSION: FEWER VOC'S, BETTER INDOOR AIR QUALITY



COMPOSITION

- 100% REACH compliant
- FREE of formaldehyde
- FREE of heavy metals
- FREE of solvent



RECYCLABILITY

- 100% recyclable product



INDOOR AIR QUALITY

- TVOC emissions 100 times better than norms requirements (TVOC < 10 microgram/m³ after 28 days)
- Floorscore certified
- M1 certified
- Comply with AgBB protocol
- No formaldehyde emission




LCA

- Eco-designed according to a product specific Life Cycle Analysis
- Product specific EPD (Environmental Products Declaration) available
- Manufactured in an Iso 14001 and Iso 50001 certified site
- Contribution to many Green Building Schemes (LEED, HQE, BREEAM...)
- Patented surface treatments ProtecSol 2 to reduce drastically the use of chemical product and water and ensure the lowest environmental impact



WELLNESS

- Health
- Anti-bacterial activity (inhibits growth > 99%)
- Anti slip R10
- Comfort: Compact version: Walking comfort < 75 dB and impact noise reduction - 8 dB
Comfort version: Walking comfort < 65 dB (best certification) and impact noise reduction - 19 dB



GERFLOR, THE PARTNER FOR ALL YOUR PROJECTS!



MAKE LIFE EASIER WITH OUR EXPRESS DEPARTMENT

If you have technical questions or would like to request samples or documentation, please contact:

By email: gerflorcontract@gerflor.com

By phone: **+33(0) 474 054 000**

By fax: **+33(0) 474 050 313**

TRAINING CENTRE OPEN TO ALL PROFESSIONALS

Dedicated to training young professionals and providing CPD for experienced professionals.

MADE-TO-MEASURE TECHNICAL SUPPORT

Our technicians will come to you to provide on-site support




ONLINE SERVICE

In just a few clicks, you'll find a whole range of tools to make your life easier on our web site.

WELDING ROD AND FLOORING MATCHING TOOL

https://www.gerflor.com/services_professionals/welding-rods-matching.html



VIRTUAL LIBRARY

See our documentation on line.

<https://www.gerflor.com/servicesprofessionals/virtual-library.html>

DESIGN STUDIO: REAL-TIME SIMULATIONS

Interior Designer

Choose your interior, insert your Gerflor floor covering and see the finished effect in situ on: <https://www.gerflor.com/services/professionals/interior-designer.html>




My Taralay

This GERFLOR exclusive service gives you freedom to create your own floor covering for unique interior design projects. There are up to 400,000 possible combinations on: <https://www.gerflor.com/services/professionals/mygerflor.html>




CUSTOMISED FLOORINGS, LOGOS...

Contact us for waterjet cutting



TARALAY IMPRESSION



16.6 cm

0519 - Noma Beige*



No strip
Continuous
design

0680 - Infinity Greige*



16.6 cm

0538 - Habana Vinales*



No strip
Continuous
design

0725 - Sycamore Light Brown



16.6 cm

0722 - Herringbone Blond




16.6 cm

0773 - Portobello*




16.6 cm

0522 - Habana Trinidad*



11.2 cm
14.2 cm
8.7 cm
6.4 cm

0734 - Loft Chestnut




16.6 cm

0724 - Herringbone Chatain



16.6 cm

0371 - Noma Rustic



10 cm

1314 - Walnut Brown



20 cm

0721 - Charme Natural

TARALAY IMPRESSION




0373 - Noma Ice*




0528 - Walnut Cream




0723 - Charme Pecan*




0720 - Infinity Aube




0719 - Infinity Lichen



0727 - Sycamore Vanilla





0068 - Renzo Pecan



0025 - Renzo Taupe



0760 - Moon Island




0726 - Sycamore Dark



0671 - Loft Light Brown

**Disponible en version Compact Acoustic 15 dB en stock - autres références disponibles sur commande (minimum 800 m²). / Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.*

TARALAY IMPRESSION



0845 - Leather Greige




0769 - Mohair White*



0523 - Cemento Genova*



0543 - Cemento Brescia*



0730 - Corner Light Beige




0756 - Kubes Beige



0833 - Uni Matt Beige




0736 - Rice Champagne



0843 - Leather Grey



0524 - Cemento Capri*




0766 - Mohair Dark



0525 - Cemento Modena*



0728 - Corner Offwhite



0848 - Uni Matt White



0755 - Kubes White



0763 - Rice Greige*



0767 - Mohair Natural



0770 - Gentlemen Clear



0771 - Gentlemen Grey




0772 - Gentlemen Coffee



0745 - Nest Metal*



0737 - Rice Souris



0832 - Uni Matt Grey




0729 - Corner Metal




0774 - Trame Clear




0776 - Trame Beige



0777 - Trame Rose



0775 - Trame Blue



0753 - Kubes Grey*



0746 - Nest Black



0831 - Uni Matt Anthracite



0744 - Stars Anthracite

**Disponible en version Compact Acoustic 15 dB en stock - autres références disponibles sur commande (minimum 800 m²). /
Reference available on stock in Compact Acoustic 15 dB - Other references available on demand minimum order quantity 800 sqm.*


TARALAY IMPRESSION




0762 - Rice Brown




0834 - Uni Matt Brown



0765 - Nest Taupe



0751 - Kubes Taupe



0739 - Corner Anis



0840 - Uni Matt Anis




0735 - Rice Light Green



0741 - Corner Tomette




0836 - Uni Matt Tomette



0748 - Kubes Burgundy




0757 - Rice Coquelicot



0839 - Uni Matt Turquoise



0740 - Corner Turquoise



0747 - Kubes Olive



0842 - Uni Matt Olive



0738 - Rice Copper



0733 - Corner Copper



0752 - Kubes Gold



0759 - Rice Mustard



0758 - Rice Sea



0749 - Kubes Sky



0743 - Stars Baltique




0844 - Leather Marine



0849 - Uni Matt Sun




0750 - Kubes Sun




0835 - Uni Matt Orange



0764 - Stars Orange



0754 - Kubes Blue



0837 - Uni Matt Blue



0732 - Corner Dark Blue



0838 - Uni Matt Dark Blue



Z0013409

TARALAY IMPRESSION

COMPACT **COMFORT** **COMPACT ACOUSTIC**

DESCRIPTION

Total thickness	EN ISO 24346	mm	2.00	3.35	2.70
	ASTM F386-02	inch	0.08	0.13	0.11
Thickness of wearlayer	EN ISO 24340	mm	0.70	0.65	0.70
	ASTM F410-02	inch	0.028	0.026	0.028
Weight	EN ISO 23997	g/sq.m	2635	2825	2825
	-	lbs/sq.ft	-	-	-
Width/length of sheet	EN ISO 24341	cm / lm	200 / 25	200 / 25	200 / 25
	-	feet - inch	6'6" / 82'	6'6" / 82'	6'6" / 82'

CLASSIFICATION

Norm/product specification	-	-	EN ISO 10582	EN 651	EN 651
European classification	EN ISO 10874	class	34 - 43	34 - 42	34 - 42
Fire rating	EN 13 501-1	class	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10	R10	R10

PERFORMANCES

Wear resistance	EN 660.2	mm ³	≤ 2.0	≤ 2.0	≤ 2.0
Wear group	-	group	T	T	T
Type binder content	EN ISO 10582	Type	I	-	-
Dimensional stability	EN ISO 23999	%	≤ 0.40	≤ 0.40	≤ 0.40
Residual indentation (requirement)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.20	≤ 0.20
Residual indentation (average measured value)	-	mm	≈ 0.03	≈ 0.08	≈ 0.05
Impact sound insulation	EN ISO 717-2	dB	8	19	15
Castor chair test (type W)	ISO 4918	-	OK	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.K)	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2
Chemical products resistance ⁽¹⁾	EN ISO 26987	-	OK	OK	OK
Anti-bacterial activity [E. coli - S. aureus - MRSA] ⁽²⁾	ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth
Antiviral activity (human coronavirus) after 2h ⁽²⁾	ISO 21702	-	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity

ENVIRONMENT / INDOOR QUALITY AIR

TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore® en cours

CE marking


	EN 14041	-	
		-	

(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.
 (2) The implementation of an effective cleaning regime is the most important defence against infection.

Product description and technical data sheet available in various languages. See our Gerflor Country websites.

Technical data sheets and product descriptions for **TARALAY IMPRESSION COMPACT and COMFORT PLUS** (0.9mm wearlayer) available in the Taralay Impression product guide.

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.

 Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/03/2022 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

We care / We act Our Commitments for a Sustainable future



* Scopes 1 and 2 defined in the GHG protocol *** % of activity with biosourced materials ** % of activity - adhesive free solution